

HADEFOR HANDHORK

JCB

BCB



HADEFOR FINDLY VIOLK,

DESIGNED TO BE BRIGHTER, TOUGHER, GREENER AND TO BE USED IN THE MOST DEMANDING WORK ENVIRONMENTS.

JCB

Our range of JCB rechargeable and portable work lights, use the latest in battery and LED technology, which delivers a near daylight high output light with cable-free long run times. The complete range is designed and built to be strong and durable, which mean they can handle even the most challenging work environment. With a 3-year warranty, you have the peace of mind that JCB Work Lights will be working as long and as hard as you.





STRONG & DURABLE RECHARGEABLE WORK LIGHTS.

KEY BENEFITS OF USING THE JCB WORK LIGHTS RANGE INCLUDE:

PORTABLE

Highly mobile and very easy to store and transport.

RECHARGEABLE

Latest LED and Li-lon technology used, which means they are greener whilst delivering a high-capacity light with long run times and some of the range have an interchangeable slide-in adapter and battery mount system, meaning 18V power tool batteries can be used.

ROBUST AND RUGGED

JCB

All the lights and accessories have been designed to sustain the rigours of the work environment. The range has been dropped tested, some you can drive over, others can withstand large drops. See the IK ratings for toughness for each product. Designing the lights for all conditions, we have very high water and dust protection levels (IP ratings) in addition to materials being used that are oil and chemical resistant.

STEPLESS DIMMING AND VARIABLE BRIGHTNESS

JCB

All the lights include variable brightness levels. New designs include stepless variable dimming so you can choose the best lighting level. Light brightness indicators and innovative rotary controls are just some of the new ways JCB Work Lights has been innovating functionality for greater user controls.

FLEXIBLE

Built-in USB power banks, mounting magnets, clamps, hooks and belt clips give options and hands-free operation in challenging workspaces.

RANGE OF ACCESSORIES

Complemented by a range of accessories including adapters, batteries, brackets, chargers and tripods which offer quick deployment and easy set-up.

MULTIPLE APPLICATIONS

Used by a multitude of professionals across many industries such as automotive, aerospace, agriculture, building and construction, emergency rescue, engineering, events, forensic science, rail, surveying, security and inspection and utilities.

3-YEAR WARRANTY

Brand leading guarantee for extra peace of mind (terms and conditions apply).







FROM THE INSPECTOR, GLOBE AND POCKET THROUGH TO THE FLEXTRA, TUFFXONE AND TUFFCLAMP WE HAVE A COMPREHENSIVE RANGE OF WORK LIGHTS TO MATCH YOUR REQUIREMENTS.





SPECIFICATION

ΟυΤΡυΤ	200 LUMENS	
BATTERY	3 X AAA (SUPPLIED)	
RUNTIME	5 HOURS ON FULL BATTERY	
CHARGE TIME	N/A	
IP RATING	IP43 SPLASH / DUSTPROOF	
WARRANTY	3 YEARS	
DIMENSIONS (MM)	38 (D) X 17 (W) X 165 (H)	
WEIGHT	37G	
EAN NUMBER	0604565169877	1.
DISPLAY BOX / QTY IN BOX	YES / 12 PIECES	LL LL all all





SPECIFICATION

OUTPUT	600 LUMENS	
BATTERY	LI-ION RECHARGEABLE-MICRO-USB	
RUNTIME	3.5 - 11.5 HOURS ON FULL CHARGE	
CHARGE TIME	5 HOURS	
IP RATING	IP44 SPLASH / DUSTPROOF	
WARRANTY	3 YEARS	
DIMENSIONS (MM)	89 (D/W) X 106 (H) INCLUDING BASE	
WEIGHT	400G	
EAN NUMBER	5060708070113	
DISPLAY BOX / QTY IN BOX	YES / 6 PIECES	



JCB WORK LIGHTS & ACCESSORIES





• Very bright 1000 lumen inspe	
 Palm size and incredibly light 	tweight at 140g
 Rechargeable battery - USB-C 	Real Real
• 3 settings 1000 lm, 500 lm, 200	lm New York
 Comes with mounting magnet a 	and hanging hook
 Battery status indicator 	
• Built-in USB power bank	100
 Ideal for always keeping in your use when needed 	pocket, so its ready to
🗰 -ọ- 📋	1 🕹 🚺 🕓 🐇 🖉
	STATUS RATING POWER RUNTIME TEST RATING MAGNET F Dicator bank
USB-C S	STATUS RATING POWER RUNTIME TEST RATING MAGNET F
USB-C S	STATUS RATING POWER RUNTIME TEST RATING MAGNET F Dicator bank
USB-C S	STATUS RATING POWER RUNTIME TEST RATING MAGNET F
USB-C S SPECIFICATION OUTPUT BATTERY	STATUS RATING POWER RUNTIME TEST RATING MAGNET F DICATOR BANK 1000 LUMENS LI-ION RECHARGEABLE-USB-C
USB-C S SPECIFICATION OUTPUT BATTERY RUNTIME	STATUS RATING POWER RUNTIME TEST RATING MAGNET F DICATOR BANK I 1000 LUMENS LI-ION RECHARGEABLE-USB-C 3.5 - 11.5 HOURS ON FULL CHARGE
USB-C S SPECIFICATION OUTPUT BATTERY RUNTIME CHARGE TIME	STATUS RATING POWER RUNTIME TEST RATING MAGNET F I000 LUMENS I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I <t< td=""></t<>
USB-C S SPECIFICATION OUTPUT BATTERY RUNTIME CHARGE TIME IP RATING	STATUS RATING POWER RUNTIME TEST RATING MAGNET F I 0000 LUMENS I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I
USB-C S SPECIFICATION OUTPUT BATTERY RUNTIME CHARGE TIME IP RATING WARRANTY DIMENSIONS (MM)	STATUS RATING POWER RUNTIME TEST RATING MAGNET F I000 LUMENS I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I
USB-C S SPECIFICATION OUTPUT BATTERY RUNTIME CHARGE TIME IP RATING WARRANTY	STATUS PATING POWER RUNTIME TEST RATING MAGNET F I000 LUMENS I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I

INSPECTION / WORK LIGHT



DOCKET WORK LIGHT DCB-WL-POCKET DC



SPECIFICATION

JCB-WL-PALM

OUTPUT	1000 LUMENS
BATTERY	LI-ION RECHARGEABLE-USB-C
RUNTIME	4 - 8 HOURS ON FULL CHARGE
CHARGE TIME	5 HOURS
IP RATING	IP54 SPLASH / DUSTPROOF
WARRANTY	3 YEARS
DIMENSIONS (MM)	39 (D) X 71 (W) X 100 (H)
WEIGHT	173G
EAN NUMBER	0604565169792
DISPLAY BOX / QTY IN BOX	YES / 10 PIECES







SPECIFICATION

ουτρυτ	800 LUMENS
BATTERY	LI-ION RECHARGEABLE-USB-C
RUNTIME	5 - 15 HOURS ON FULL CHARGE
CHARGE TIME	3 HOURS
IP RATING	IP54 SPLASH / DUSTPROOF
WARRANTY	3 YEARS
DIMENSIONS (MM)	31 (D) X 69 (W) X 156 (H)
WEIGHT	215G
EAN NUMBER	0604565169945
DISPLAY BOX / QTY IN BOX	YES / 10 PIECES





DUAL INSPECTION / WORK LIGHT	JCB-WL-FLEXTRA
 FEATURES Flexible inspection and work light Rechargeable battery - USB-C 100 lumen snake light - 250 mm long Snake light for seeing into hard to reach spaces Up to 20 hours runtime 300 lumen work light with stepless dimming Comes with mounting magnet and belt clip Perfect for mechanics, engineers or electricians 	
	IANGING BELT CLIP SNAKE STEPLESS HOOK LIGHT DIMMING

SPECIFICATION

OUTPUT	300 LM WORK LIGHT / 100 LM INSPECTION LIGHT	
BATTERY	LI-ION RECHARGEABLE-USB-C	
RUNTIME	3 - 20 HOURS ON FULL CHARGE	
CHARGE TIME	3 HOURS	
IP RATING	IP65 WATER / DUSTPROOF / STRONG & TOUGH	
WARRANTY	3 YEARS	
DIMENSIONS (MM)	31 (D) X 66 (W) X 136 (H) - SNAKE 250 (L)	
WEIGHT	200G	
EAN NUMBER	0604565169907	
DISPLAY BOX / QTY IN BOX	YES / 10 PIECES	











• Ideal for plumbers, boat engineers and farmers



SPECIFICATION

OUTPUT	1500 LUMENS	
BATTERY	LI-ION RECHARGEABLE-USB-C	
RUNTIME	3 - 6 HOURS ON FULL CHARGE	
CHARGE TIME	4 HOURS	
IP RATING	IP68 WATER / DUSTPROOF / STRONG &	TOUGH
WARRANTY	3 YEARS	
DIMENSIONS (MM)	43 (D) X 150 (W) X 101 (H)	
WEIGHT	426G	
EAN NUMBER	0604565169716	
DISPLAY BOX / QTY IN BOX	YES / 6 PIECES	
		1.1









WORK LIGHT WITH STRONG CLAMP

SPECIFICATION

FEATURES

• Rechargeable battery - USB-C

• 1500 lumen work light, with up to 20 hours runtime

• Clamp great for fixing onto doorframes, scaffolding etc.

• Digital display showing brightness and battery status

• Ideal for surveyors and all construction professionals

• Comes with ridiculously strong clamp!

• Stepless dimming from 150 lm to 1500 lm


• Strong magnetic base with 360 degree rotation

OUTPUT	1500 LUMENS
BATTERY	LI-ION RECHARGEABLE-USB-C
RUNTIME	3 - 20 HOURS ON FULL CHARGE
CHARGE TIME	2 HOURS
IP RATING	IP65 WATER / DUSTPROOF
WARRANTY	3 YEARS
DIMENSIONS (MM)	47 (D) X 145 (W) X 99 (H)
WEIGHT	470G
EAN NUMBER	0604565169914
DISPLAY BOX / QTY IN BOX	YES / 6 PIECES









0604565169808

YES / 8 PIECES

THE **IS DETACHABLE AND COMES**

108



EAN NUMBER

DISPLAY BOX / QTY IN BOX





0

SIII I GIIIS

FROM THE TUFFDUAL THROUGH TO THE XTREME OUR SITE LIGHTS HAVE GNED SPECIFICALLY FOR INRKING **I**AN RUUIS N RFING SAFF S INFS HOOKS POWER GING GE COMES WITH OUR **NOUNTING SYSTEM** PTER **MEANING THEY CAN BE POWERED YOUR WAY!**

JCB



HYBRID 2500 LUMEN SITE LIGHT JCB-SL-TUFFDUAL





OUTPUT	2500 LUMENS	
BATTERY	MAINS 110V-240V / LI-ION RECHARGEABLE	
RUNTIME	2 - 12 HOURS ON FULL CHARGE / PLUS MAINS	
CHARGE TIME	3 HOURS	
IP RATING	IP65 WATER / DUSTPROOF	
WARRANTY	3 YEARS	
DIMENSIONS (MM)	69 (D) X 197 (W) X 226 (H)	
WEIGHT	I.8KG	
EAN NUMBER	0604565169921	
DISPLAY BOX / QTY IN BOX	NO / OUTER - 6 PIECES	






TUFFDUAL MOUNTED ON MAGNETIC BRACKET (SEE ACCESSORIES) 2X TUFFDUAL MOUNTED ON T-BAR AND JCB 1.7M TRIPOD (SEE ACCESSORIES)













ουτρυτ	2000 LUMENS		
BATTERY	INTERCHANGEABLE 22.2 V LI-ION BATTERY		
RUNTIME	8 - 16HRS 22.2V BATTERY		
CHARGE TIME	22.2V LI-ION - 3 TO 4 HOURS PER BATTERY		
IP RATING	IP65* WATER / DUSTPROOF / STRONG & TOUGH		
WARRANTY	3 YEARS		
DIMENSIONS (MM)	212 (D) X 224 (W) X 335 (H)		
WEIGHT	3.1KG		
EAN NUMBER	DEPENDENT ON CHOSEN POWER OPTION		
DISPLAY BOX / QTY IN BOX	NO / OUTER - 2 PIECES		



* ONLY IP65 WITH 22.2V LI-ION BATTERY

DEPENDENT ON CHOSEN POWER OPTION EAN NUMBER DISPLAY BOX / QTY IN BOX **NO / OUTER - 2 PIECES**

3.1KG

3 YEARS

212 (D) X 222 (W) X 358 (H)

22.2V LI-ION - 3 TO 4 HOURS PER BATTERY

IP65* WATER / DUSTPROOF / STRONG & TOUGH



CHARGE TIME

IP RATING

WARRANTY

WEIGHT

DIMENSIONS (MM)


* ONLY IP65 WITH 22.2V LI-ION BATTERY












Supplied with adapters for JCB | BOSCH | MAKITA | DEWALT | MILWAUKEE | METABO | CAS (Cordless Alliance System)







• Tripod mountable and built-in USB power bank



SPECIFICATION

ουτρυτ	4500 LUMENS	
BATTERY	18V POWER TOOL BATTERY	,
RUNTIME	2 - 8 HOURS 18V POWER TOOL BATTERY	
CHARGE TIME	N/A	
IP RATING	IP65* WATER / DUSTPROOF	
WARRANTY	3 YEARS	
DIMENSIONS (MM)	156 (D) X 230 (W) X 290 (H)	
WEIGHT	I.74KG	NER
EAN NUMBER	0604565169952	OWERE
DISPLAY BOX / QTY IN BOX	NO / OUTER - 6 PIECES	USE YOUR IBV BATTERY
		<u>بر الم</u>



* ONLY IP65 WHEN USED WITH BATTERY COVER

18V MULTI-BATTERY HYBRID LIGHT JCB-SL-KONNECT6500

FEATURES



INDICATOR

SPECIFICATION

OUTPUT	6500 LUMENS
BATTERY	MAINS (5M CABLE) / 18V POWER TOOL BATTERY
RUNTIME	1.5 - 6 HOURS 18V POWER TOOL BATTERY
CHARGE TIME	N/A
IP RATING	IP65* WATER / DUSTPROOF
WARRANTY	3 YEARS
DIMENSIONS (MM)	157 (D) X 230 (W) X 314 (H)
WEIGHT	2.35KG
EAN NUMBER	0604565169969
DISPLAY BOX / QTY IN BOX	NO / OUTER - 4 PIECES

POWER

BANK



* ONLY IP65 WHEN USED WITH BATTERY COVER





SPECIFICATION

OUTPUT	2000 LUMENS
BATTERY	INTERCHANGEABLE 22.2 V LI-ION BATTERY
RUNTIME	16 - 32 HOURS ON FULL CHARGE
CHARGE TIME	3 TO 4 HOURS PER BATTERY
IP RATING	IP65 WATER / DUSTPROOF / STRONG & TOUGH
WARRANTY	3 YEARS
DIMENSIONS (MM)	178 (D) X 234 (W) X 284 (H)
WEIGHT	3.9KG
EAN NUMBER	5060708070090
DISPLAY BOX / QTY IN BOX	NO / OUTER - 3 PIECES





BATTERY STATUS

INDICATOR

IP65 RATING 8 - 16H RUNTIME STRONG & TOUGH

SPECIFICATION

ULTRA BRIGHT 2X 22.2V LI-ION

OUTPUT	4000 LUMENS
BATTERY	INTERCHANGEABLE 22.2 V LI-ION BATTERY
RUNTIME	8 - 16 HOURS ON FULL CHARGE
CHARGE TIME	3 TO 4 HOURS PER BATTERY
IP RATING	IP65 WATER / DUSTPROOF / STRONG & TOUGH
WARRANTY	3 YEARS
DIMENSIONS (MM)	178 (D) X 234 (W) X 284 (H)
WEIGHT	3.9KG
EAN NUMBER	5060708070106
DISPLAY BOX / QTY IN BOX	NO / OUTER - 3 PIECES











LONG RUNTIME





LEBESSORES

T

COMPLEMENTING THE JCB WORK LIGHT RANGE IS A RANGE OF ACCESSORIES INCLUDING ADAPTERS, BATTERIES, BRACKETS, CHARGERS AND TRIPODS WHICH OFFER QUICK DEPLOYMENT AND EASY SET-UP.



ACCESSORIES



22.2V LI-ION RECHARGEABLE BATTERY

FEATURES

• For use with the JT and Extreme series site lights

• Power 22.2V 4.4Ah

- Li-ion rechargeable battery
- Battery status indicator
- 2 settings via switch 100%, 50%
- Up to 8 hours runtime based on 2000 lumens
- Charge time 3-4 hours

SPECIFICATION

WARRANTY	3 YEARS
DIMENSIONS (MM)	135 (D) X 90 (W) X 90 (H)
WEIGHT	850G
EAN NUMBER	5060708070144



JCB-22.2V BATTERY

5-IN-1 POWERTOOL ADAPTER

JCB-ADAPT-5.1

FEATURES

- Unique adapter enabling you to use your batteries
- Power tool battery compatibility -
- **DeWalt, Milwaukee, Metabo, Mafell, CAS** • 5-in-1 adapter can be mounted onto the JT series
- Use 18V powertool battery instead of 22.2V li-ion battery
- · Ose 16v powertool battery listead of 22.2v II-ion batte
- Simple slide on/off mounting system
- 3 brightness settings 100%, 50%, 25%
- Up to 7 hours runtime on 18V 5Ah at 2000 lumens

SPECIFICATION	
WARRANTY	3 YEARS
DIMENSIONS (MM)	125 (D) X 100 (W) X 60 (H)
WEIGHT	261G
EAN NUMBER	0604565169778





JCB-18V BATTERY-CHARGER

FEATURES

• For use with Konnect series site lights

- Power 18V 4.0Ah
- JCB li-ion rechargeable battery
- LED charge indicator
- Compatible with all JCB 18V power tools
- Charge time 1 hour
- Up to 2 hours run time

......

• Comes with fast charger (2m cable)

SPECIFICATION	
WARRANTY	3 YEARS
DIMENSIONS (MM)	135 (D) X 90 (W) X 90 (H)
WEIGHT	BATTERY 700G / CHARGER 600G
EAN NUMBER	CONTACT US





ACCESSORIES









¢ ا

JCE

Ô

20WERED

WORK LIGHTS

B

 \bigcirc







SITE LIGHTS





0

() ***

((🖖))

کلا:

K

ROWERED ROWERED TOTAL



ÿ





0800 292 2188 SALES@JCBWORKLIGHTS.COM WWW.JCBWORKLIGHTS.COM

JCB