


JCB-SL-TRI-FOLD-TOWER KONNECT

8400 LUMEN 360° TOWER LIGHT 18V BATTERY OR MAINS

Scan for datasheet →




KEY FEATURES

Hybrid 8400 lumen tower flood light
 Height extendable up to 2400mm - quick and easy setup
 Three fully adjustable light heads 360° Illumination
 High quality aluminium and nylon construction
 4 brightness level settings 25%, 50%, 75%, 100%
 18V Battery adapters available for DeWalt, Milwaukee, Makita, Hikoki, Bosch, JCB, Metabo
 Up to 6 hrs runtime with 18V 5Ah battery
 Mains 110v / 240V 5m mains cable included
 Lightweight with single trigger action deployment
 6500K daylight colour temperature
 Mode memory- on/off switch
 Battery level status indicator
 IP54 Water/Dustproof
 Extremely Robust IK08 fall tested



CONTENTS

1 x JCB-SL-TRI-FOLD TOWER KONNECT
 18 V power tools adapters - (see side of box)
 Waterproof 18v battery compartment
 5m Heavy duty mains cable
 Optional: JCB-Trifold carry case available

OPERATION



OPERATION - ADJUSTING THE LIGHTS



SAFETY NOTICE

Prior to use carry out the necessary risk assessment considering the people who could be at risk, the level of risk and the precautions required to control the risk.

GENERAL

Ensure that the battery is correctly fitted before use
DO NOT Cover or block the lens during use
DO NOT shine the product directly into the eyes of people or animals
DO NOT allow children to use the worklight
DO NOT use the worklight if you suspect it is damaged
DO NOT place the product in or near naked flames
DO NOT open the light or touch any of the internal parts
Do ensure that the worklight is turned off and the 18V battery is removed before attempting cleaning and maintenance

ELECTRICAL

DO NOT use if the battery case is showing signs of damage
DO NOT place the connector anywhere except the correct socket
DO NOT use if the mains cable is damaged in any way

MAINTENANCE & STORAGE

Keep the worklight clean from dirt and grease using a damp cloth
DO NOT submerge the light in water
DO NOT clean the light with solvents
DO check the light for any signs of damage before use

GUARANTEE

This product is guaranteed against manufacturing defects for a period of 3 years from the date of purchase.

Repair or replacement of products will be undertaken providing that:

- The product has been subject to fair wear and tear only
 - The product has not been subject to accidental or cosmetic damage
 - The product has not been misused and has been used only in accordance with the instruction manual provided
 - The product has not been subject to insufficient servicing and maintenance
 - The product has not been subject to any abnormal environmental conditions or inappropriate operating conditions
 - Repairs have not been attempted by an unauthorised person and no modifications have been made to the product
- The guarantee excludes the following (where relevant):
- Components normally subject to wear and tear
 - Batteries and chargers

Your statutory rights are not affected

We reserve the right to alter specifications without prior notice

WE WILL NOT BE LIABLE FOR ANY INJURIES OR CONSEQUENTIAL DAMAGES RESULTING FROM THE USE OF THIS PRODUCT

GENERAL WARNINGS & DISPOSAL

This product has been marked with a symbol relating to removing electric and electronic waste. The product should not be discarded with household waste but must be returned to a collection system which conforms to the European Directive 2012/19/EU. It will then be recycled or dismantled in order to reduce the impact on the environment. Electric and electronic equipment can be hazardous for the environment and for human health since they contain hazardous substances.



www.jcbworklights.com | sales@jcbworklights.com

JCB Lighting is used under licence by Property Perspective Ltd