

**JCB**  
WORK LIGHTS

**MADE FOR  
HARD WORK.**



**2026**



# MADE FOR HARD WORK.

**DESIGNED TO BE BRIGHTER, TOUGHER, GREENER AND TO BE USED IN THE MOST DEMANDING WORK ENVIRONMENTS.**

Built for professionals, the JCB Work Lights range delivers powerful, near-daylight illumination and dependable performance across demanding job sites. Included in the range is the new KONNECT family, that adds flexibility, running directly from your existing 18V power tool batteries - ideal for trade environments. With advanced LED efficiency, rugged construction, and a 3-year warranty, JCB Work Lights are engineered to keep your site bright and will be working as long and as hard as you.



A4 Strut Card



Banner

Floor Standing POS Units

# STRONG & DURABLE RECHARGEABLE WORK LIGHTS.

## KEY BENEFITS OF USING THE JCB WORK LIGHTS RANGE INCLUDE:

### PORTABLE

Highly mobile and very easy to store and transport.

### RECHARGEABLE

Latest LED and Li-Ion technology used, which means they are greener and deliver a high-capacity very bright light with long run times, whilst the KONNECT family range have an interchangeable slide-in adapter and battery mount system, meaning top brand 18V power tool batteries can be used, setting YOUR BATTERY FREE!

### ROBUST AND RUGGED

All the lights and accessories have been designed to sustain the rigours of the work environment. The range has been dropped tested, some you can drive over or float in water, others are fully waterproof and can withstand large drops. See the IK ratings for toughness for each product. Designing the lights for all conditions, we have very high water and dust protection levels (IP ratings) in addition to materials being used that are oil and chemical resistant.

### STEPLESS DIMMING AND VARIABLE BRIGHTNESS

All the lights include variable brightness levels. New designs include stepless variable dimming so you can choose the best lighting level. Light brightness indicators and innovative rotary controls are just some of the new ways JCB Work Lights has been innovating functionality for greater user controls.

### FLEXIBLE

Built-in USB power banks, mounting magnets, clamps, hooks and belt clips give options and hands-free operation in challenging workspaces.

### RANGE OF ACCESSORIES

Complemented by a range of accessories including adapters, batteries, brackets, chargers and tripods which offer quick deployment and easy set-up.

### MULTIPLE APPLICATIONS

Used by a multitude of professionals across many industries such as automotive, aerospace, agriculture, building and construction, emergency rescue, engineering, events, forensic science, rail, surveying, security and inspection and utilities.

### 3-YEAR WARRANTY

Brand leading guarantee for extra peace of mind (terms and conditions apply).





# WORK LIGHTS

WE HAVE A COMPREHENSIVE RANGE OF WORK LIGHTS TO MATCH YOUR REQUIREMENTS, FROM THE INSPECTOR, FLEXTRA AND TUFFXONE THROUGH TO THE TUFFCLAMP, TWIN INSPECTOR AND STORM.

**INSPECTION PENLIGHT**

JCB-WL-INSPECTOR

**FEATURES**

- Bright 200 lumen compact pocket size inspection light
- Latest LED technology with wide angle beam
- Soft to touch rubberised body
- Comes with mounting magnet and belt clip
- Magnet and belt clip has 180 degree rotation
- Hanging hook 360 degree rotation



**SPECIFICATION**

OUTPUT	200 LUMENS
BATTERY	3 X AAA (SUPPLIED)
RUNTIME	5 HOURS ON FULL BATTERY
CHARGE TIME	N/A
IP RATING	IP43 SPLASH / DUSTPROOF
WARRANTY	3 YEARS
DIMENSIONS (MM)	38 (D) X 17 (W) X 165 (H)
WEIGHT	37G
EAN NUMBER	0604565169877
DISPLAY BOX / QTY IN BOX	YES / 12 PIECES



**MAGNETIC BASE WORK LIGHT**

JCB-WL-GLOBE

**FEATURES**

- Rotating work light with removable head
- 600 lumens output
- 3 settings 600 lm, 300 lm, flash - SOS
- Rechargeable battery - Micro USB
- Unique magnetic base allowing full rotation
- Comes with hanging hooks and 1/4" tripod mount
- Built-in USB power bank



**SPECIFICATION**

OUTPUT	600 LUMENS
BATTERY	LI-ION RECHARGEABLE-MICRO-USB
RUNTIME	3.5 - 11.5 HOURS ON FULL CHARGE
CHARGE TIME	5 HOURS
IP RATING	IP44 SPLASH / DUSTPROOF
WARRANTY	3 YEARS
DIMENSIONS (MM)	89 (D/W) X 106 (H) INCLUDING BASE
WEIGHT	400G
EAN NUMBER	5060708070113
DISPLAY BOX / QTY IN BOX	YES / 6 PIECES





**LIGHTWEIGHT WORK LIGHT**

JCB-WL-PALM

**FEATURES**

- Very bright 1000 lumen inspection and work light
- Palm size and incredibly lightweight at 140g
- Rechargeable battery - USB-C
- 3 settings 1000 lm, 500 lm, 200 lm
- Mounting magnet and hanging hook
- Battery status indicator
- Built-in USB power bank
- Lightweight and pocket size



**SPECIFICATION**

OUTPUT	1000 LUMENS
BATTERY	LI-ION RECHARGEABLE-USB-C
RUNTIME	3.5 - 11.5 HOURS
CHARGE TIME	3.5 HOURS
IP RATING	IP54 SPLASH / DUSTPROOF
WARRANTY	3 YEARS
DIMENSIONS (MM)	26 (D) X 63 (W) X 120 (H)
WEIGHT	140G
EAN NUMBER	0604565169938
DISPLAY BOX / QTY IN BOX	YES / 10 PIECES



**POCKET WORK LIGHT**

JCB-WL-POCKET

**FEATURES**

- Impressive 1000 lumen robust and portable work light
- Rechargeable battery - USB-C
- 3 settings 1000 lm, 500 lm, 350 lm
- Integrated magnetic 360 degree rotating stand
- Comes with hanging hook and belt clip
- Battery status indicator



**SPECIFICATION**

OUTPUT	1000 LUMENS
BATTERY	LI-ION RECHARGEABLE-USB-C
RUNTIME	4 - 8 HOURS
CHARGE TIME	5 HOURS
IP RATING	IP54 SPLASH / DUSTPROOF
WARRANTY	3 YEARS
DIMENSIONS (MM)	39 (D) X 71 (W) X 100 (H)
WEIGHT	173G
EAN NUMBER	0604565169792
DISPLAY BOX / QTY IN BOX	YES / 10 PIECES



**WORK LIGHT WITH TORCH**

JCB-WL-POCKET II

**FEATURES**

- 2-in-1 800 lumen work light and 180 lumen torch
- Red static / flashing light for emergencies
- Rechargeable battery - USB-C
- Strong magnetic base with 180 degree rotation
- Up to 15 hours runtime
- Stepless dimming for both torch and work light
- Digital battery status indicator
- Built-in USB power bank



**SPECIFICATION**

OUTPUT	800 LUMENS
BATTERY	LI-ION RECHARGEABLE-USB-C
RUNTIME	5 - 15 HOURS ON FULL CHARGE
CHARGE TIME	3 HOURS
IP RATING	IP54 SPLASH / DUSTPROOF
WARRANTY	3 YEARS
DIMENSIONS (MM)	31 (D) X 69 (W) X 156 (H)
WEIGHT	215G
EAN NUMBER	0604565169945
DISPLAY BOX / QTY IN BOX	YES / 10 PIECES



**DUAL INSPECTION / WORK LIGHT**

JCB-WL-FLEXTRA

**FEATURES**

- Flexible inspection and work light
- Rechargeable battery - USB-C
- 100 lumen snake light - 250 mm long
- Snake light for seeing into hard to reach spaces
- Runtimes 3-20hr main light, 10hr snake light
- 300 lumen work light with stepless dimming
- Comes with mounting magnet and belt clip
- Perfect for mechanics, engineers and electricians



**SPECIFICATION**

OUTPUT	300 LM WORK LIGHT / 100 LM INSPECTION LIGHT
BATTERY	LI-ION RECHARGEABLE-USB-C
RUNTIME	3 - 20 HOURS ON FULL CHARGE
CHARGE TIME	3 HOURS
IP RATING	IP65 WATER / DUSTPROOF / STRONG & TOUGH
WARRANTY	3 YEARS
DIMENSIONS (MM)	31 (D) X 66 (W) X 136 (H) - SNAKE 250 (L)
WEIGHT	200G
EAN NUMBER	0604565169907
DISPLAY BOX / QTY IN BOX	YES / 10 PIECES





## WORK LIGHT WITH CLAMP AND MAGNETS

JCB-WL-TUFFCLAMP

### FEATURES

- 1500 lumen work light, with up to 20 hours runtime
- Rechargeable battery - USB-C
- Comes with strong adjustable clamp
- Strong magnetic base with 360 degree rotation
- Rotary stepless dimming control 150 lm to 1500 lm
- Digital display showing brightness and battery status



### SPECIFICATION

OUTPUT	1500 LUMENS
BATTERY	LI-ION RECHARGEABLE-USB-C
RUNTIME	3 - 20 HOURS ON FULL CHARGE
CHARGE TIME	2 HOURS
IP RATING	IP65 WATER / DUSTPROOF
WARRANTY	3 YEARS
DIMENSIONS (MM)	47 (D) X 145 (W) X 99 (H)
WEIGHT	470G
EAN NUMBER	0604565169914
DISPLAY BOX / QTY IN BOX	YES / 6 PIECES




## FULLY WATERPROOF WORK LIGHT

JCB-WL-TUFFXONE

### FEATURES

- Fully waterproof 1500 lumen work light
- Extremely tough - we've driven a lorry over it!
- Rechargeable battery - USB-C
- IP68 - can be fully submersed in water
- Strong magnetic stand and tripod mountable
- 2 settings 1500 lm, 750 lm
- Battery status indicator
- Ideal for plumbers, boat engineers and farmers



### SPECIFICATION

OUTPUT	1500 LUMENS
BATTERY	LI-ION RECHARGEABLE-USB-C
RUNTIME	3 - 6 HOURS ON FULL CHARGE
CHARGE TIME	4 HOURS
IP RATING	IP68 WATER / DUSTPROOF / STRONG & TOUGH
WARRANTY	3 YEARS
DIMENSIONS (MM)	43 (D) X 150 (W) X 101 (H)
WEIGHT	426G
EAN NUMBER	0604565169716
DISPLAY BOX / QTY IN BOX	YES / 6 PIECES



**DUAL INSPECTION & WORK LIGHT**

JCB-WL-TWIN INSPECTOR

**FEATURES**

- Dual light inspection torch with spot and flood lights
- Beam distance – Spot (170m), Flood (30m)
- 1000 lumen with stepless dimming
- Chemical and oil resistant casing
- Easy to use trigger switch and battery status indicator
- Wireless charging through base or USB-C
- Strong magnet and detachable carabiner
- Adjustable light head



**SPECIFICATION**

OUTPUT	1000 LUMENS
BATTERY	RECHARGEABLE WIRELESS / USB-C
RUNTIME	6.5 - 29H
CHARGE TIME	3 HOURS
IP RATING	IP65 WATER / DUSTPROOF
WARRANTY	3-YEARS
DIMENSIONS (MM)	66 (D) X 30 (W) X 167 (H)
WEIGHT	252G
EAN NUMBER	0654139757009
DISPLAY BOX / QTY IN BOX	NO / OUTER – 12 PIECES



**RUGGED WATERPROOF FLASHLIGHT AND WORK LIGHT**

JCB-WL-STORM

**FEATURES**

- Bright 1400 lumens search and flood light
- Lightweight, fully waterproof (IP67)
- 3 modes – search, flood and rapid flash
- Beam distance – 700m on full power
- Easy to use trigger switch with lock function
- Rechargeable battery – USB-C
- Built in Powerbank 5V 2.4Ah, Storage for charging cable
- LED battery status indicator; built in stand



**SPECIFICATION**

OUTPUT	1400 LUMENS
BATTERY	RECHARGEABLE USB-C
RUNTIME	4.5 - 20H
CHARGE TIME	3 HOURS
IP RATING	IP67 WATER / DUSTPROOF
WARRANTY	3-YEARS
DIMENSIONS (MM)	179 (D) X 96 (W) X 193 (H)
WEIGHT	570G
EAN NUMBER	0654139757047
DISPLAY BOX / QTY IN BOX	NO / OUTER – 12 PIECES



# HEAD TORCHES

JCB INNOVATES THE HEAD TORCH WITH THE JCB HT-XTRA COMBINED WORK LIGHT AND HEAD TOUCH, AND THE NEW HIGH POWERED JCB HT-PRO DIAL, WITH ITS INNOVATIVE EASY TO USE ROTARY DIAL CONTROL SWITCH, TO QUICKLY ACCESS MULTIPLE FUNCTIONS. DESIGNED FOR PROFESSIONAL USERS WHO WANT RELIABLE ILLUMINATION LEAVING BOTH HANDS FREE.



HEAD TORCH AND WORK LIGHT

JCB-HT-XTRA

FEATURES

- Multi-functional 260 lumen head torch and work light
- Rechargeable battery - USB-C
- Wide angle beam ideal for all applications
- Wave sensor on/off for hands-free operation
- Detachable light with stand and magnetic base
- Up to 4 hours runtime - 2 settings 260 lm, 130 lm
- Ideal for plumbers, electricians and mechanics



SPECIFICATION

OUTPUT	260 LUMENS
BATTERY	LI-ION RECHARGEABLE-USB-C
RUNTIME	2 - 4 HOURS ON FULL CHARGE
CHARGE TIME	2.5 HOURS
IP RATING	IP44 SPLASH / DUSTPROOF
WARRANTY	3 YEARS
DIMENSIONS (MM)	38 (D) X 80 (W) X 45 (H)
WEIGHT	111G
EAN NUMBER	0604565169808
DISPLAY BOX / QTY IN BOX	YES / 8 PIECES




700 LUMEN ROTARY CONTROL HEADTORCH

JCB-HT- PRO DIAL 700

FEATURES

- Bright 700 lumen head torch
- Lightweight with rotary, dimmer and turbo, switch
- Rotary switch control mode and stepless dimming function
- Rechargeable battery USB-C
- Spot and wide angle light modes
- 5 modes: Turbo, High, COB White, COB Warm, COB Red
- Wave sensor on/off for hands free operation
- Battery status indicator



SPECIFICATION

OUTPUT	700 LUMENS
BATTERY	RECHARGEABLE USB-C
RUNTIME	2 - 30H
CHARGE TIME	2.5 HOURS
IP RATING	IP44 SPLASH / DUSTPROOF
WARRANTY	3-YEARS
DIMENSIONS (MM)	61 (D) X 36.5 (W) X 36 (H)
WEIGHT	79G
EAN NUMBER	0654139757207
DISPLAY BOX / QTY IN BOX	YES / 8 PIECES



# SITE LIGHTS

JCB SITE LIGHTS HAVE BEEN DESIGNED SPECIFICALLY FOR COMPLEX WORKING ENVIRONMENTS, WHERE BEING SAFE IS PARAMOUNT. THE KONNECT FAMILY GOES FURTHER AND THEY ARE POWERED BY USING 18V POWER TOOL BATTERIES FROM LEADING BRANDS, THEREBY SETTING YOUR BATTERY FREE.



## HYBRID 2500 LUMEN SITE LIGHT

JCB-SL-TUFFDUAL

### FEATURES

- Mains and battery powered 2500 lumen site light
- 110V or 240V both with 5m cable
- 5m mains/charging cable with snap-fit connector
- Strong and very robust and is tripod mountable
- Outer casing is chemical and oil resistant
- Stepless dimming 250 lm to 2500 lm
- Battery status and brightness display
- Designed for challenging environments



2500 LM



SUPER BRIGHT



RECHARGEABLE LI-ION



BATTERY STATUS INDICATOR



IP65 RATING



110V/240V MAINS



BUILT-IN USB POWER BANK



2 - 12H RUNTIME



2M DROP TEST RATING



STEPLESS DIMMING

### SPECIFICATION


OUTPUT	2500 LUMENS
BATTERY	MAINS 110V-240V / LI-ION RECHARGEABLE
RUNTIME	2 - 12 HOURS ON BATTERY / PLUS MAINS
CHARGE TIME	3 HOURS
IP RATING	IP65 WATER / DUSTPROOF
WARRANTY	3 YEARS
DIMENSIONS (MM)	69 (D) X 197 (W) X 226 (H)
WEIGHT	1.8KG
EAN NUMBER	0604565169921
DISPLAY BOX / QTY IN BOX	NO / OUTER - 6 PIECES



**SITE LIGHT 32 HOUR RUNTIME** JCB-SL-XTREME2000-R

**FEATURES**

- 2000 lumen site light with steel construction
- Unique battery mounting system
- Comes with 2 x 22.2V li-ion batteries
- Long runtime of up to 16 hours at 2000 lm
- 2 settings 2000 lm, 1000 lm
- Metal stand and tripod mountable
- Strong, robust and versatile light
- Designed for extreme work environments



**SPECIFICATION**


OUTPUT	2000 LUMENS
BATTERY	INTERCHANGEABLE 22.2 V LI-ION BATTERY
RUNTIME	16 - 32 HOURS
CHARGE TIME	3 TO 4 HOURS PER BATTERY
IP RATING	IP65 WATER / DUSTPROOF / STRONG & TOUGH
WARRANTY	3 YEARS
DIMENSIONS (MM)	178 (D) X 234 (W) X 284 (H)
WEIGHT	3.9KG
EAN NUMBER	5060708070090
DISPLAY BOX / QTY IN BOX	NO / OUTER - 3 PIECES



**SITE LIGHT 16 HOUR RUNTIME** JCB-SL-XTREME4000-R

**FEATURES**

- 4000 lumen site light with steel construction
- Unique battery mounting system
- Comes with 2 x 22.2V li-ion batteries
- Long runtime of up to 8 hours at 4000 lm
- 2 settings 4000 lm, 2000 lm
- Metal stand and tripod mountable
- Strong, robust and versatile light
- Designed for extreme work environments



**SPECIFICATION**

OUTPUT	4000 LUMENS
BATTERY	INTERCHANGEABLE 22.2 V LI-ION BATTERY
RUNTIME	8 - 16 HOURS
CHARGE TIME	3 TO 4 HOURS PER BATTERY
IP RATING	IP65 WATER / DUSTPROOF / STRONG & TOUGH
WARRANTY	3 YEARS
DIMENSIONS (MM)	178 (D) X 234 (W) X 284 (H)
WEIGHT	3.9KG
EAN NUMBER	5060708070106
DISPLAY BOX / QTY IN BOX	NO / OUTER - 3 PIECES



# SET YOUR BATTERY FREE IN THREE EASY STEPS

# KONNECT FAMILY

THE JCB KONNECT FAMILY IS BUILT FOR DEMANDING WORK SITES, DELIVERING POWERFUL WIDE-AREA LIGHTING, POWERED BY YOUR EXISTING MULTI-BRAND 18V BATTERIES OR MAINS CABLE. THE NEW TRIPOD TOWER LIGHTS, THE JCB KONNECT DUO-FOLD AND JCB KONNECT TRI-FOLD PROVIDE ELEVATED, ALL-ROUND ILLUMINATION, FAST DEPLOYMENT AND RUGGED RELIABILITY.



**STEP ONE** SELECT YOUR LIGHT

**STEP TWO** SELECT YOUR BATTERY



**STEP THREE** CONNECT



**18V MULTI-BATTERY SITE LIGHT** JCB-SL-KONNECT4500

**FEATURES**

- Powered by your 18V power tool battery
- Supplied with connectors for - JCB, Bosch, Makita, DeWalt / Milwaukee, Metabo / CAS (Festool and Hikoki also available)
- 4500 lumen wide angle beam
- 2-8h runtime based on 18V 5Ah power tool battery
- 4 brightness settings 100%, 75%, 50%, 25%
- Strong aluminium body
- Battery status and brightness level indicator
- Tripod mountable and built-in USB power bank



**SPECIFICATION**

OUTPUT	4500 LUMENS
BATTERY	18V POWER TOOL BATTERY (NOT SUPPLIED)
RUNTIME	2 - 8 HOURS 18V 5AH POWER TOOL BATTERY
CHARGE TIME	N/A
IP RATING	IP65* WATER / DUSTPROOF
WARRANTY	3 YEARS
DIMENSIONS (MM)	156 (D) X 230 (W) X 290 (H)
WEIGHT	1.74KG
EAN NUMBER	0604565169952
DISPLAY BOX / QTY IN BOX	NO / OUTER - 6 PIECES



\* ONLY IP65 WHEN USED WITH BATTERY COVER

**18V MULTI-BATTERY HYBRID LIGHT** JCB-SL-KONNECT6500

**FEATURES**

- Hybrid powered by mains or your 18V power tool battery
- Supplied with connectors for - JCB, Bosch, Makita, DeWalt / Milwaukee, Metabo / CAS (Festool and Hikoki also available)
- 6500 lumen wide angle beam
- 110V or 240V both with 5m cable
- 4 brightness settings 100%, 75%, 50%, 25%
- Strong aluminium body
- Battery status and brightness level indicator
- Tripod mountable and built-in USB power bank



**SPECIFICATION**

OUTPUT	6500 LUMENS
POWER/BATTERY	MAINS (5M CABLE) / 18V POWER TOOL BATTERY
RUNTIME	1.5 HOURS 18V 5AH POWER TOOL BATTERY
CHARGE TIME	1.5 TO 6 HOURS
IP RATING	IP65* WATER / DUSTPROOF
WARRANTY	3 YEARS
DIMENSIONS (MM)	157 (D) X 230 (W) X 314 (H)
WEIGHT	2.35KG
EAN NUMBER	0604565169969
DISPLAY BOX / QTY IN BOX	NO / OUTER - 4 PIECES



\* ONLY IP65 WHEN USED WITH BATTERY COVER





## HYBRID 360° AREA LIGHT

JCB-SL-KONNECT-360

### FEATURES

- Hybrid power –240V mains or your 18V power tool battery
- Supplied with connectors for – JCB, Bosch, Makita, DeWalt / Milwaukee, Metabo / CAS (Festool and Hikoki also available)
- 7200 LM area light
- 3 colour temperatures (3000K, 4500K, 6500K)
- 3 brightness settings (25%, 50%, 100%)
- Runtime 1.5-6h based on 18V 5Ah power tool battery
- LED battery status indicator
- Hanging hook and tripod mount, (M8 thread)
- Ideal for Plasterers, Painters, Detailers and general site use



### SPECIFICATION

OUTPUT	7200 LUMENS
BATTERY	MAINS (5M CABLE) / 18V POWER TOOL BATTERY
RUNTIME	1.5 - 6 HOURS 18V 5AH POWER TOOL BATTERY
CHARGE TIME	N/A
IP RATING	IP65* WATER / DUSTPROOF
WARRANTY	3-YEARS
DIMENSIONS (MM)	215 (D) X 210 (W) X 533 (H)
WEIGHT	3.65KG
EAN NUMBER	0654139757016
DISPLAY BOX / QTY IN BOX	NO / OUTER – 4 PIECES




\* ONLY IP65 WHEN USED WITH BATTERY COVER

## 18V BATTERY TOWER LIGHT

JCB-SL-DUO-FOLD

### FEATURES

- Bright 6000 LM site light powered by your 18V power tool battery
- Supplied with connectors for – JCB, Bosch, Makita, DeWalt / Milwaukee, Metabo / CAS, Hikoki
- Adjustable Light Head with 270° rotation
- Pole height is adjustable. Max height is 1730mm
- Foot switch with 4 Brightness Settings 25%, 50%, 75%, 100%
- Runtime 2 – 8H based on 18V 5Ah power tool battery
- Compact, lightweight and easy setup
- Battery status indicator
- Folds into compact self protected housing




### SPECIFICATION

OUTPUT	6000 LUMENS
BATTERY	18V POWER TOOL BATTERY (NOT SUPPLIED)
RUNTIME	2 - 8 HOURS
CHARGE TIME	N/A
IP RATING	IP65* WATER / DUSTPROOF
WARRANTY	3-YEARS
DIMENSIONS OPEN (MM)	632 (D) X 551 (W) X 1730 (H)
WEIGHT	3KG
EAN NUMBER	0654139757030
DISPLAY BOX / QTY IN BOX	NO / OUTER – 2 PIECES



\* ONLY IP65 WHEN USED WITH BATTERY COVER



## HYBRID TOWER 8400 LUMEN LIGHT

JCB-SL-TRI-FOLD


### FEATURES

- Hybrid power – mains or your 18V power tool battery
- Supplied with connectors for – JCB, Bosch, Makita, DeWalt / Milwaukee, Metabo / CAS, Hikoki
- Bright 8400 LM via 3 x 360° light heads
- Easy to deploy via trigger action with fully adjustable height and light angle
- Light pole height adjustable 1110mm to 2400mm
- 4 Brightness Settings 25%, 50%, 75%, 100%
- Runtime 1.5-6h based on 18V 5Ah power tool battery
- Battery status and brightness indicator
- Ideal for large area/site applications



### SPECIFICATION

OUTPUT	8400 LUMENS
BATTERY/POWER	MAINS (5M CABLE) / 18V POWER TOOL BATTERY
RUNTIME	1.5 - 6 HOURS 18V POWER TOOL BATTERY
CHARGE TIME	N/A
IP RATING	IP54 WATER / DUSTPROOF
WARRANTY	3-YEARS
DIMENSIONS OPEN (MM)	730 (D) X 730 (W) X 2400 (H)
WEIGHT	11.3KG
EAN NUMBER	0654139757023
DISPLAY BOX / QTY IN BOX	NO / OUTER – 1 PIECES






**MINI POWER TOOL BATTERY LIGHT**

JCB-WL-MINI-KONNECT 360

**FEATURES**

- Compact, bright 1600 LM Mini area light
- Powered by your 18V power tool battery (not supplied)
- Supplied with 1 connector - JCB, Bosch, Makita, Dewalt/Milwaukee, Metabo/CAS or Hikoki
- Diffused 360-degree coverage
- 3 brightness settings (25%, 50%, 100%)
- Low power indicator
- Drop tested IK08 rating



**SPECIFICATION**

<b>OUTPUT</b>	1600 LUMENS
<b>BATTERY</b>	18V POWER TOOL BATTERY (NOT SUPPLIED)
<b>RUNTIME</b>	6 - 24 HOURS
<b>CHARGE TIME</b>	N/A
<b>IK DROP TEST RATING</b>	IK08
<b>WARRANTY</b>	3-YEARS
<b>DIMENSIONS (MM)</b>	85 (D) X 105 (W) X 125 (H)
<b>WEIGHT</b>	265G
<b>EAN NUMBER</b>	0654139757214 (JCB CONNECTOR)
<b>DISPLAY BOX / QTY IN BOX</b>	NO / OUTER - 40 PIECES



**CARRY BAG FOR TRI FOLD TOWER LIGHT**

JCB-TRI-FOLD-BAG

**FEATURES**

- Very sturdy and great build quality
- Carry bag for the Konnect TRI Fold Tower Light
- EAN Number: 0654139757184



**MOUNTING MAGNETIC BRACKET**

JCB-MAGNETIC-BRACKET

**FEATURES**

- For use with the Tuffdual and Konnect site lights
- Very strong magnetic mounting bracket
- Use on any magnetic surface
- Fast and secure installation
- EAN Number: 0604565169952



**1.7M TRIPOD WITH T-BAR & CARRY BAG**

JCB-TRIPOD-1.7

**FEATURES**

- Great build quality
- Steel body and T-Bar
- Fix or hang lights on T-Bar for elevated lighting
- Fully adjustable up to 1.7m
- Compact, quick deployment and easy setup
- Quick release feet
- Comes with: T-Bar, carry bag, wing nuts & bolts, JT mounting system
- EAN Number: 5050708070120





**MADE  
FOR HARD  
WORK.**

**3 YEAR  
REPLACEMENT  
WARRANTY**  
NO SMALL PRINT, NO CATCHES

**SITE AND TOWER LIGHTS - 18V KONNECT FAMILY**

Konnect 4500



Konnect 6500



Konnect Mini 360



Konnect 360



Konnect Duo-Fold



Konnect Tri-Fold



**SITE LIGHTS**

Tuff Dual



Extreme 2000



Extreme 4000



**HEAD TORCHES**

Xtra



Pro Dial 700



**WORK LIGHTS**

Storm



Twin Inspector



Tuffclamp



Tuffxone



Flextra



**WORK LIGHTS**

Pocket 2



Pocket



Palm



Globe



Inspector





# **JCB**

## **WORK LIGHTS**



**0800 292 2188**

**SALES@JCBWORKLIGHTS.COM**

**WWW.JCBWORKLIGHTS.COM**