


JCB-SL-DUO-FOLD KONNECT

6000 LUMENS 18V POWER TOOL BATTERY WORK LIGHT



KEY FEATURES

Compact collapsible tower light
6000 lumen output with 4 light settings
Superfast quick deployment
Adjustable mast up to 1730mm
Light head adjusts through 270°
Powered by 18V dc power tool batteries
Foot operated switch
IP65 water and dustproof
IK08 drop tested

SPECIFICATION

Battery:	Uses major brands power tool batteries
Runtime:	Up to 8hrs
Brightness:	1500 - 6000 lumens
Colour Temperature:	6500K
Battery Adapters:	Available for 18-20V Makita, DeWalt, Milwaukee, Metabo / CAS, Hikoki, Bosch, JCB

OPERATION

Open the power tool battery compartment
Select the adapter required for your make of battery
Slide this into the light making sure that it connects with the terminals
Next slide your battery onto the adapter ensuring it locks into place
Close the battery compartment and lock the cover
Open out the light and adjust the height and position of the light head to the desired position
Press the on/off button and the light comes on at 25% power, keep pressing until the desired output - 25% | 50% | 75% | 100%
The battery level status indicator lights up to show how much charge is left in the battery
To turn off press again and the light goes out

SAFETY NOTICE

Prior to use carry out the necessary risk assessment considering the people who could be at risk, the level of risk and the precautions required to control the risk.

GENERAL

Ensure that the battery is correctly fitted before use

DO NOT Cover or block the lens during use

DO NOT shine the product directly into the eyes of people or animals

DO NOT allow children to use the worklight

DO NOT use the worklight if you suspect it is damaged

DO NOT place the product in or near naked flames

DO NOT open the light or touch any of the internal parts

Do ensure that the worklight is turned off and the 18V battery is removed before attempting cleaning and maintenance

ELECTRICAL

DO NOT use if the battery case is showing signs of damage

DO NOT place the connector anywhere except the correct socket

DO NOT use if the mains cable is damaged in any way

MAINTENANCE & STORAGE

Keep the worklight clean from dirt and grease using a damp cloth

DO NOT submerge the light in water

DO NOT clean the light with solvents

DO check the light for any signs of damage before use

GUARANTEE

This product is guaranteed against manufacturing defects for a period of 3 years from the date of purchase.

Repair or replacement of products will be undertaken providing that:

- The product has been subject to fair wear and tear only
- The product has not been subject to accidental or cosmetic damage
- The product has not been misused and has been used only in accordance with the instruction manual provided
- The product has not been subject to insufficient servicing and maintenance
- The product has not been subject to any abnormal environmental conditions or inappropriate operating conditions
- Repairs have not been attempted by an unauthorised person and no modifications have been made to the product

The guarantee excludes the following (where relevant):

- Components normally subject to wear and tear
- Batteries and chargers

Your statutory rights are not affected

We reserve the right to alter specifications without prior notice

WE WILL NOT BE LIABLE FOR ANY INJURIES OR CONSEQUENTIAL DAMAGES RESULTING FROM THE USE OF THIS PRODUCT

GENERAL WARNINGS & DISPOSAL

This product has been marked with a symbol relating to removing electric and electronic waste. The product should not be discarded with household waste but must be returned to a collection system which conforms to the European Directive 2012/19/EU. It will then be recycled or dismantled in order to reduce the impact on the environment. Electric and electronic equipment can be hazardous for the environment and for human health since they contain hazardous substances.



Euverify Ltd

Unit 3D North Point House, North Point
Business Park, New Mallow Road, Cork,
T23 AT2P, Ireland
info@euverify.com

www.jcbworklights.com | sales@jcbworklights.com

JCB Lighting is used under licence by Property Perspective Ltd